

The Camera **STABILIZER** for All.





# SMOOTH 4

## BORN FOR MOBILE FILM MAKERS

- 3-Axis Smartphone Stabilizer -



- / Vertigo Shot
- / Focus Pull & Zoom Capability
- / PhoneGo Mode for Instant Scene Transition

# SMOOTH 4

## 3-Axis Smartphone Stabilizer

Zhiyun Smooth 4 turns your mobile phone into a professional filmmaking camera, helping you create cinematic and expressive footage with just your phone. The highly integrated control panel enables more convenient and faster operation, allowing adjustment of all camera parameters within fingertips. For the first time in the industry, follow focus handwheel is introduced on a phone stabilizer, allowing professional follow focus, smooth zooming and precise focusing. Special effects like Vertigo shots and fast scene transition are all now achievable on your phone. With a dedicated APP - ZY Play, Smooth 4 offers a parade of smart features, from object tracking, panorama, preset timelapse, to customized MotionLapse and Hyperlapse. The only limit is your imagination.



## BORN FOR MOBILE FILMMAKERS

### FEATURES



#### **Born for Mobile Filmmakers**

Zhiyun Smooth 4 turns your mobile phone into a professional filmmaking camera, helping you create stable and smooth footage with just your phone. The design of integrated control panel can reduce the need to touch the screen, and help users control both the stabilizer and mobile camera directly with hot-key buttons. Get one now to create your own Hollywood movies with just phones!



#### **Focus Pull & Zoom Capability**

The more professional and dedicated handwheel is built in Smooth 4, bringing you the unprecedented experience of smooth operation. You can zoom in or out as you want to take close-up shots. By pressing the FN switch button, the handwheel is configured into a focus puller, helping you achieve high-precision focus changes in real time to create creative shots.



#### **PhoneGo Mode for Instant Scene Transition**

Like a high-end sports car, Smooth 4 can enter PhoneGo mode and release the potential of motors in a flash. It can respond to every delicate movement without delay perfect for shooting instant scene transition. What's better is that amazing scene transition can be achieved in your footage without much of post-processing.



**VERTIGO**  
Shot

**360°**  
Orbital Shot

**ROLL-ANGLE**  
Time Lapse

### ***Timelapse Expert***

Integrated with AI technology, Smooth 4 can realize both presetted Timelapse and customized Motionlapse and Hyperlapse. With freer angle settings along all three axes while allowing AF and WT adjustment at the same time, it invites new possibilities to making impactful timelapse. The only limitation is your imagination.

### ***Object Tracking***

Smooth 4 supports object tracking with much higher precision and is compatible to various accessories. You can frame the object you want to track on the screen, and the stabilizer can do the rest. With this feature, you can easily record wonderful moments while also taking part in it.

### ***Light and Durable***

The high-quality compound materials and ergonomic design adopted by Smooth 4 make it both rigid and light. The hammer paint texture adds unique luster with more sensible hand-feel. The classic ergonomic design makes it easy on the eye and comfortable to hold.

### ***Longer Runtime***

Smooth 4 can run for 12 hours in a row. The battery indicator can tell you how much power is still left. The stabilizer can charge your phone directly during shooting. You can shoot video all day long with no need to worry about the battery.


### ***Unique Clip Design***

The unique clip-up design realizes easy transition between standby mode and startup mode by folding and expanding the horizontal arm of the gimbal. It is a perfect filming and vlogging companion while travelling.

### ***Less is More***


Smooth 4 is designed with a slider on its control panel and a trigger button on its back, to easily recognize and switch between different gimbal modes.

## CONTROL MODE




### PAN FOLLOWING MODE

The camera pans left/right following the movement of the stabilizer while the tilt and roll axes are locked.




### LOCKING MODE

This mode locks movement of all three axes to keep the camera still and stable.



### FOLLOWING MODE

The camera pans and tilts following the movement of the stabilizer.



### PhoneGo MODE

The motors torque boost to full power, allowing the camera to pan and tilt synchronously with the movement of the stabilizer.

## ZHIYUN APP



### ZY Play

ZY Play is a powerful assistant app dedicated for Zhiyun stabilizer users. With it, you can realize remote control and gimbal settings to stabilizers easily.

### Lightcollector

Open the app, you will find the world's biggest video sharing community for stabilizer lovers - Lightcollector, with detailed stabilizer tutorials and amazing footage created and shared by professionals worldwide.

## SMOOTH 4 Specs

|                       |             |                  |
|-----------------------|-------------|------------------|
| Operation Voltage     | 7.4 V       |                  |
| Output Voltage        | 5 V         |                  |
| Operation Temperature | -10°C -45°C |                  |
| Operation Time        | 12h         | Laboratory data1 |
| Weight                | 547g        |                  |
| Tilt Angle Range      | 240 °       |                  |
| Roll Angle Range      | 240 °       |                  |
| Pan Angle Range       | 300°        |                  |
| Payload               | 75g-210g    |                  |



ZHIYUN-TECH.COM

Zhiyun reserves the right to change the product design and specifications, including but not limited to size, color, and etc. Picture for reference only.



ZY Play  
For Greater Performance

A Gatherplace for All Stabilizer Lovers  
Lightcollector.com

# CRANE PLUS

## DO PLUS, PLAY PLUS

- Intelligent 3-axis Camera Stabilizer -



- / MotionMemory
- / POV MODE
- / Intelligent Object Tracking
- / A Massive Capable Payload of 2.5kg

# CRANE PLUS

*Intelligent 3-axis Camera Stabilizer*

Crane Plus is an intelligent 3-axis camera stabilizer which has for the first time been integrated with AI technology. Featuring the newest SmartFollow,POV Mode, NightLapse and MotionMemory based on a dedicated APP, it allows intelligent object tracking and stunning long exposure timelapse. MotionMemory can help to set up and save advanced camera movements. Newly-added POV mode unlocks more possibilities of shooting. Filming has never been so easy and smart.



DO PLUS  
PLAY PLUS

## FEATURES



### **MotionMemory**

Using the new MotionMemory feature with Crane Plus allows you to setup advanced camera movements and save them so Crane Plus will remember them for the future. It will even remember all of your timelapse settings like the interval, number of shots, duration, and more!



### **POV Mode**

Crane Plus adds a newly designed POV (Point of View) mode that allows for additional camera movement by providing up to 45 degrees of synchronous motion on the roll axis, What this means is that rather than Crane Plus keeping the camera level when you roll left or right, POV mode will move with you and roll your camera left or right, up to 45 degrees. Even simpler, when you move, your camera moves with you.



### **SmartFollow**

Crane Plus even allows higher-precision object tracking with more intelligent image recognition system. Draw a box around the object you want to track on the phone screen, then your Crane Plus can easily track the moving object and do rest of the job for you!



**12** Hours  
Extensive Battery Runtime

**2.5** KG  
Max Payload

**POV**  
Mode

### ***NightLapse***

Using Crane Plus with NightLapse, you can capture stunning star trails, moving nighttime traffic, capture the passage of time over beautiful nighttime landscapes, and all with the stunning motion and stability that only Crane Plus can provide.

### ***All-in-one Design***

Crane Plus comes with a camera control cable that can realize synchronous operation on both your camera and stabilizer like taking a photo or zooming. Combined with a dedicated phone APP - ZY Play, Crane Plus helps to realize various advanced shootings, like motion timelapse and panoramas, just at your fingertips.

### ***Customizable Scenes***

Crane Plus provides various customizable scenes with saved parameters settings, giving you unprecedented intelligent experience. By setting parameters like rotation rate and smoothness on three axes, Crane Plus can enter the exact mode you want in and set parameters tailored for specific applications.

### ***A Massive Capable Payload of 2.5kg***

Using our cutting-edge, 6th generation Instune Algorithm System to power the motors, Crane Plus can handle a massive weight capacity of up to 2.5kg (5.51lbs).

### ***Full Set of Accessories***

Included with each purchase is a whole lineup of accessories so you can get right to filming the moment you receive your Crane Plus. We include everything you need: Anti-Slip sweatband, camera cables for phone controlling & charging, as well as an Aluminum tripod for extended use.

## ACCESSORIES



Mini Dual Grip



5.5" Display Monitor



Telescopic Monopod



Phone Clamp Combo



Camera Cheese Plate  
with 1/4" Thread



Dual Handle



Extension Ring  
with 1/4" Thread



Thumb Remote Control

## ZHIYUN APP



### ZY Play

ZY Play is a powerful assistant app dedicated for Zhiyun stabilizer users. With it, you can realize remote control and gimbal settings to stabilizers easily.

### Lightcollector

Open the app, you will find the world's biggest video sharing community for stabilizer lovers - Lightcollector, with detailed stabilizer tutorials and amazing footage created and shared by professionals worldwide.

## CRANE PLUS Specs

|                       |             |                                   |
|-----------------------|-------------|-----------------------------------|
| Operation Voltage     | 6.8V-12.6V  |                                   |
| Operation Current     | 80mA-6000mA |                                   |
| Operation Temperature | -10°C -45°C |                                   |
| Operation Time        | 12h-18h     | Well balanced with camera mounted |
| Weight                | 950g        | Excluding batteries               |
| Tilt Angle Range      | 360°        | Unlimited rotation                |
| Roll Angle Range      | 360°        | Unlimited rotation                |
| Pan Angle Range       | 360°        | Unlimited rotation                |
| Payload               | 350g-2500g  |                                   |



ZHIYUN-TECH



ZHIYUN-TECH.COM

Zhiyun reserves the right to change the product design and specifications, including but not limited to size, color, and etc. Picture for reference only.



ZY Play  
For Greater Performance

A Gatherplace for All Stabilizer Lovers  
Lightcollector.com

# CRANE 2

## MOVE WITH YOUR FOCUS

- 3-Axis Stabilizer with Follow Focus -



- / Real Time Follow Focus
- / 3.2KG Max. Payload
- / Instant Precise Attitude Compensation
- / Intuitive OLED Display

# CRANE 2


## 3-Axis Stabilizer with Follow Focus

The Zhiyun Crane 2 three-axis camera stabilizer, while realizing film-grade performance breakthroughs in both motion sensitivity and precision control with newly optimized algorithm system and motor construction, has integrated a tactile and sturdy follow focus controller on its body previously unheard of in the industry. Featuring an OLED display design, POV Mode, combined with quick control dial on its panel, you not only can see various stabilizer status at a glance, but can also make various camera & gimbal settings and movements in a twist of fingers.



# MOVE WITH YOUR FOCUS.

## FEATURES




### Real Time Follow Focus

Integrated with an unprecedented follow focus wheel on the body, Crane 2 allows  $\pm 0.02^\circ$  precision real time focus control through camera cable connection, so that you can always keep your subject in focus while moving, setting free your camera for more dedicated task.



### 3.2KG Max. Payload

Empowered by the 6th Gen. Instune Algorithm System which realizes 50% increase in motor torque and 20% improvement in noise reduction, the Crane 2 sets up a new benchmark for the industry supporting a max. payload of 3.2kg, mountable by all models of DSLR and mirrorless camera on the market.



### Instant Precise Attitude Compensation

Integrated with the pioneering 32-bit x 3 high-speed MCU parallel control technology which realizes 100% improvement in respond speed, CRANE 2 gets high above the industry standard with its cutting-edge attitude compensation system and unparalleled anti-shaking stabilizing performance.



**18** Hours  
Extensive Battery Runtime

**3.2** KG  
Max Payload

**OLED**  
Display

### *Newly Designed Thumbscrew for Quicker Balance Adjustment*

Designed with easy-to-use thumbscrews and the unique quick release plate, you can mount, dismount and balance your camera to get ready for shooting only within 60 seconds with no need of a screwdriver. Start your shooting at anywhere, anytime.

### *Intuitive OLED Display*

The intuitive interface design helps you easily identify the connection status, battery level, control mode and multiple camera params, giving you full control over every detail.

### *18 Hour Runtime for Longtime Task*

18 Hour Ultra Long Battery Life for High-intensity shootings and Phone-charging under emergency, helping you to capture every precious moment.

### *Innovative Quick Control Dial Design*

The quick control dial on the control panel is like an integrated extension of your camera. You can either press or rotate the dial to make various camera parameter settings such as TV, AV, ISO and EV, giving you seamless camera control independently from any software applications.

### *Complete Kits with Elaborate Details*

Crane 2 comes standard with a comprehensive accessories kit, including camera control cables to connect with various brand cameras, an Aluminum alloy tripod, an EVA carrying bag, as well as a MANFROTTO standard quick release plate that allows quick camera installation to the stabilizer or tripod within seconds, ideal for videographers stepping up their game.

## ACCESSORIES



Servo Follow Focus



Motion Sensor Remote Control with Follow Focus



Shoulder Bracket




Mini Dual Grip



5.5" Display Monitor



Camera Cheese Plate with 1/4" Thread



1/4" Thread Metal Holder with Flexible Pipe



Dual Handle



Extension Ring with 1/4" Thread



Telescopic Monopod

## ZHIYUN APP



### ZY Play

ZY Play is a powerful assistant app dedicated for Zhiyun stabilizer users. With it, you can realize remote control and gimbal settings to stabilizers easily.

### Lightcollector

Open the app, you will find the world's biggest video sharing community for stabilizer lovers - Lightcollector, with detailed stabilizer tutorials and amazing footage created and shared by professionals worldwide.

## CRANE 2 Specs

|                       |              |                                   |
|-----------------------|--------------|-----------------------------------|
| Operation Voltage     | 9.8V-12.6V   |                                   |
| Operation Current     | 110mA-6000mA |                                   |
| Operation Temperature | -10°C -45°C  |                                   |
| Operation Time        | 12h-18h      | Well balanced with camera mounted |
| Weight                | 1250g        | Excluding batteries               |
| Tilt Angle Range      | 320°         | -135°—185°                        |
| Roll Angle Range      | 360°         | Unlimited rotation                |
| Pan Angle Range       | 360°         | Unlimited rotation                |
| Payload               | 500g-3200g   |                                   |



ZHIYUN-TECH.COM

Zhiyun reserves the right to change the product design and specifications, including but not limited to size, color, and etc. Picture for reference only.







ZHIYUN **ZY Play**  
For Greater Performance

 A Gatherplace for All Stabilizer Lovers  
Lightcollector.com

# W E E B I L L

## TINY AND MIGHTY

- Professional Stabilizer with Image Transmission -



 **LAB SERIES**  
The Leading Innovations

- / Wireless Image Transmission
- / ViaTouch Control System
- / Min.Weight Max. Payload
- / Always in Focus

# W E E B I L L **LAB**

## *Professional Stabilizer with Image Transmission*

As an all new stabilizer with wireless image transmission system, WEEBILL LAB excels in making smooth, gorgeous footage for mirrorless camera users. It boasts a versatile and ergonomic structure that makes it an easy fit for run-and-gun shooting. With wireless image transmission, you can frame and take shots from any angle at any view. ViaTouch Control System enables users to take care of every detail simply on a phone screen. WEEBILL LAB is the first mirrorless camera stabilizer that can be used with external follow focus motor. It is designed with a latch on each axis which makes it super easy to balance. The two-in-one quick release plate allows easy setup and fast transition without re-balancing. WEEBILL LAB offers limitless possibilities to mirrorless camera filming.



# TINY AND MIGHTY

## FEATURES

---



### *Redefine Stabilizer*

WEEBILL LAB boasts a versatile and ergonomic structure that even revolutionizes the entire appearance of traditional gimbals. You can enter a handy Sling Mode gesture by mounting the tripod as a handgrip, making it possible for effortless filming experience.



### *Wireless Image Transmission*

The wireless image transmission on WEEBILL LAB supports real-time monitor, framing and parameter control over your camera. With smartphone working as the monitor, you can frame and take shots from any angle at any view or even take a selfie.



### *ViaTouch Control System*

ViaTouch Control System enables users to take care of camera settings and gimbal movements all via a same screen. With motion sensor remote control on your smartphone, shooting with camera would definitely become an interesting experience.



**Always in Focus**

**Wireless Image**  
Transmission

**Via Touch**  
Control System

**3.0** KG  
Max Payload

***Min.Weight Max. Payload***

WEEBILL LAB weighs similar to a phone stabilizer but can handle a large payload of 3kg, compatible with most popular mirrorless camera & lens combos on the market.

***Always in Focus***

The servo zoom and focus controller equipped to WEEBILL LAB supports precise and smooth focus control to all camera systems. With the tactile wheel on its body, you can easily pull focus while moving and shooting.

***Crafted Latch Design***

WEEBILL LAB is designed with a latch on each axis which makes it super easy to balance. You can lock certain axes while balancing the other and save the current setup for next time. It's a versatile equipment for filmmakers to carry around and start shooting anywhere anytime.

***Double Quick Release Plates***

The two-in-one release plate (Manfrotto/ Arca-Swiss) allows easy setup and fast transition between equipment without re-balancing.

***Automated Advanced Features***

WEEBILL LAB supports various advanced features via ZY PLAY such as panorama, timelapse, motion timelapse, long exposure timelapse , etc.

***PhoneGo Mode to Unleash Full Potential***

A single tap on the Go button, your camera is ready to handle extreme sport scene. The PhoneGo mode empowers the gimbal to its maximum follow speed and helps to capture the object precisely. In-camera scene transition can be easily achieved within seconds without post-editing.

# ACCESSORIES & STANDARD PACKAGE



1

TransMount WEEBILL LAB Handheld Tripod



2

TransMount Servo Zoom/Focus Controller (Max)



3

TransMount Mini Monopod



4

TransMount Quick Setup Kit



5

TransMount Phone Holder with Crown Gear



6

TransMount Multifunctional Camera Belt



7

TransMount Servo Follow Focus (Lite)



8

TransMount Telescopic Monopod with Locking Buckle



9

TransMount Quick Release Base Plate



10

TransMount Multifunctional Gimbal Bag



Master Package

1 2 3 4 4 5 6 10



Creator Package

1 2 3 4 4 5 6



Master Accessories Kit

2 3 4 4 5 6 10



Creator Accessories Kit

2 3 4 4 5 6

## WEEBILL LAB Specs

|                       |              |                     |
|-----------------------|--------------|---------------------|
| Operation Voltage     | 6.4V-8.4V    |                     |
| Operation Current     | 250mA-3000mA |                     |
| Operation Temperature | -10°C -45°C  |                     |
| Operation Time        | 12h          | *Lab Data1          |
| Weight                | 970g         | Excluding batteries |
| Tilt Angle Range      | 360°         | Unlimited rotation  |
| Roll Angle Range      | 360°         | Unlimited rotation  |
| Pan Angle Range       | 360°         | Unlimited rotation  |
| Payload               | 300g-3000g   |                     |

\*Lab Data1: The data - 12h operation time is tested under 25°C temperature with gimbal placed still and balanced well; Mounted camera: Sony A7+10-18 F4



ZHIYUN-TECH.COM

Zhiyun reserves the right to change the product design and specifications, including but not limited to size, color, and etc. Pictures are for reference only.



**ZY Play**  
For Greater Performance

 A Gatherplace for All Stabilizer Lovers  
Lightcollector.com

# CRANE 3 **LAB**

## REDEFINE STABILIZER

- Professional Stabilizer with Image Transmission -



**LAB** LAB SERIES  
The Leading Innovations

- / ViaTouch Control System
- / Synchronous Zoom & Focus Control
- / All-Inclusive Control Panel
- / Aviation Grade Motors

# CRANE 3 **LAB**

## *Professional Stabilizer with Image Transmission*

CRANE 3 LAB is ZHIYUN's new generation flagship stabilizer that integrates wireless Full HD image transmission technology. Targeting at individual videographers or videography team, CRANE 3 LAB redefines the structure of traditional stabilizers with its effort-saving Sling Mode. The 1080P image transmission system of this newest stabilizer allows users to frame and to take shots from any angle at any view. Besides, its ViaTouch control system enables users to take care of every detail simply on a phone screen. Endowed with the capability of synchronous zoom & focus control, CRANE 3 LAB will surely unleash the creative potential of users.



# REDEFINE STABILIZER

## FEATURES



### **Revolutionary Structure Design**

With an all-new and ergonomic structure, CRANE 3 LAB opens up a new holding gesture—Sling Mode, allowing effortless and stable shooting especially for low angles.



### **Great Compatibility**

Having an incredible payload of 4.5kg and long axes, CRANE 3 LAB supports almost all DSLRs on the market and is effective even with heavy lens on it.



### **Wireless Full HD Image Transmission**

The wireless image transmission technology applied to CRANE 3 LAB supports video streaming up to 1080P. For its great compatibility with smartphones and tablets of both Android and iOS systems, most digital devices can be readily used as a monitor. With live preview and real-time parameter settings, you can frame and take shots from any angle at any view.



## All-Inclusive Control Panel

**Wireless Full HD**  
Image Transmission

**ViaTouch**  
Control System

**4.5** KG  
Max Payload

### **Easy Setup and Great Portability**

Now with a latch on each axis, balancing and transit of gimbals have never been so easy. You can lock certain axes while balancing the other and save the current setup for next time or lock all three axes for convenient transit and transport.

### **PhoneGo Mode to Unleash Full Potential**

A single tap on the Go button, your camera is ready to handle extreme sport scene. PhoneGo mode enables the gimbal to maximize its follow speed, capturing the object wanted precisely. In-camera scene transition can be easily achieved within seconds without post-editing.

### **Synchronous Zoom & Focus Control**

CRANE 3 LAB is equipped with both zooming and focusing control module on its quick release plate. Users can make synchronous zoom and focus adjustment through the tactile wheel and zoom button.

### **ViaTouch Control System**

ViaTouch Control System enables users to take care of every detail simply on a phone screen. You can make various gimbal movements and camera settings while framing the shots simultaneously all via a same screen. With motion control, filming with CRANE 3 LAB is just as fun as gaming.

### **Automated Advanced Features**

Popular filmmaking features such as timelapse, motionlapse, panorama are available with CRANE 3 LAB, fully equipped for diversified creativity.

### **All-Inclusive Control Panel**

Inspired by the control stick grips in cockpits, multiple buttons and thumbwheels are added to CRANE 3 LAB. With these super functional buttons and an intuitive OLED screen, you can easily perform full control on both gimbal and camera including mode switch, camera control and various customized gimbal settings.

# ACCESSORIES & STANDARD PACKAGE



1

TransMount CRANE 3 LAB Handheld Tripod



2

TransMount Servo Zoom/Focus Controller (Max)



3

TransMount Mini Monopod



4

TransMount Quick Setup Kit



5

TransMount Phone Holder with Crown Gear



6

TransMount Multifunctional Camera Belt



7

TransMount Servo Follow Focus (Lite)



8

TransMount Telescopic Monopod with Locking Buckle



9

TransMount Quick Release Base Plate



10

TransMount Multifunctional Gimbal Bag



1

Master Package

1 2 4 4 5 6  
7 8 9 10



2

Creator Package

1 2 4 4 5 6  
7 8 9



3

Master Accessories Kit

2 4 4 5 6  
7 8 9 10



4

Creator Accessories Kit

2 4 4 5 6  
7 8 9

## CRANE 3 LAB Specs

|                       |              |                            |
|-----------------------|--------------|----------------------------|
| Operation Voltage     | 9.8V-12.6V   |                            |
| Operation Current     | 360mA-5400mA |                            |
| Operation Temperature | -10°C -45°C  |                            |
| Operation Time        | 7.5h         | Balanced center of gravity |
| Weight                | 1880g        | Excluding batteries        |
| Tilt Angle Range      | 273°         |                            |
| Roll Angle Range      | 360°         | Unlimited rotation         |
| Pan Angle Range       | 360°         | Unlimited rotation         |
| Payload               | 500g-4500g   |                            |



ZHIYUN-TECH.COM

Zhiyun reserves the right to change the product design and specifications, including but not limited to size, color, and etc. Picture for reference only.



ZHIYUN-TECH.COM



Transcontinenta B.V.  
Zhiyun distributor Benelux  
Tarwestraat 29, 2153 GE Nieuw-Vennep  
The Netherlands  
T.: +31 (0)252-687555  
W: [www.transcontinenta.nl](http://www.transcontinenta.nl)